

To protect the privacy of customers or suppliers of Salamander Jewelry.  
We erased their address from this document.

## CERTIFICATE OF STERILIZATION

PRODUCT : **ORDER NO. 2085533**

CUSTOMER : Salamander Jewelry Co..ltd

CERT. NO :CM 0241 /14

We here by certify that following products were sterilized by E.O.at  
CITY MEDICAL SUPPLY. The result of sterilization by biological indicator are passed

DATE : 12-12-2557

CODE	Iteme	Color	LOT.NO	TOTAL QUANTITY	STERILIZED DATE	SPECIFICATION		RESULT		
						CHEMICAL TESTED	BIOLOGICAL TESTED	CHEMICAL TESTED	BIOLOGICAL TESTED	
Z-TJNO-0.8-6.5-2.35-CR	STERILE TITANIUM JEWELLED CURVED NOSE STUD	CR		51						
Z-TLB-1.6-12.0-4	STERILE TITANIUM LABRET			30						
Z-TLJNO-0.8-6.5-2.35-CR	STERILE TITANIUM LARGE CURVE JEWELLED NOSE STUD	CR		25						
Z-TMBN-1.2-10.0-3	STERILE TITANIUM MICRO CURVED BARBELL			125						
Z-TMBN-1.2-12.0-3	STERILE TITANIUM MICRO CURVED BARBELL			50						
Z-TMLB-1.2-12.0-3	STERILE TITANIUM MICRO LABRET			100						
Z-TMLB-1.2-8.0-3	STERILE TITANIUM MICRO LABRET		LOT-0049	110	8 Dec 14	Positive	Negative	Positive	Negative	Pass
Z-TMLB-1.2-9.0-3	STERILE TITANIUM MICRO LABRET			100						
Z-XBL3-1.6-14.0-5	STERILE BIOFLEX BARBELL WITH TITANIUM BALLS			30						
Z-XINLBJD-1.2-8.0-4-CR	STERILE BIOFLEX INTERNAL MICRO LABRET WITH JEWELLED DIS	CR		30						
Z-XMBN1-1.2-10.0-3	STERILE BIOFLEX MICRO CURVED BARBELL WITH STEEL BALLS			150						
Z-XMLB3-1.2-10.0-3	STERILE BIOFLEX MICRO LABRET WITH TITANIUM BALL			30						
Z-TBL-1.6-18.0-5	STERILIZED TITANIUM BARBELL			60						
Z-MLB-1.2-12.0-3	STERILE SURGICAL STEEL MICRO LABRET			200						
Z-XBL1-1.6-20.0-5	STERILE BIOFLEX BARBELL WITH STEEL BALLS			25						
Z-XBL1-1.6-22.0-5	STERILE BIOFLEX BARBELL WITH STEEL BALLS			15						
Z-XBL1-1.6-22.0-6	STERILE BIOFLEX BARBELL WITH STEEL BALLS			10						
Z-XINLBTJD-1.6-10.0-3-CR	STERILE BIOFLEX INTERNAL LABRET WITH JEWELLED TITANIUM	CR		6						
Z-BL-1.6-24.0-5	STERILE SURGICAL STEEL BARBELL			60						

To protect the privacy of customers or suppliers of Salamander Jewelry.  
We erased their address from this document.